

Author Index of Volume 95

- | | | | |
|---------------------------|--------------------|--------------------------------|-----------------------|
| Ala-Kaila, K. 187 | Goto, S. 57 | Meera Sheriffa Begum, K.M. 199 | Sousa, J.M. 67 |
| Alexandrova, S. 137 | Haghighi, R. 163 | Mendes, A. 67 | Specchia, V. 123 |
| Amal, R. 179, 213 | Harrison, P.G. 47 | Mingjiang, N. 235 | Sundaram, S. 199 |
| Anantharaman, N. 199 | Hisarli, G. 241 | Miró, E.E. 47 | |
| Assabumrungrat, S. 57 | Huilin, L. 1 | | Tagawa, T. 57 |
| Atun, G. 241 | Hume, A.P. 171 | Olivares del Valle, J. 155 | Tan, T.T.Y. 179 |
| | | | |
| Ball, I.K. 47 | Jand, N. 25 | Petera, J. 171 | Ulla, M.A. 47 |
| Barone, G. 251 | Jena, P.R. 143 | Phongpatthanapanich, J. 57 | |
| Basu, J.K. 143 | Jeong, N.-J. 101 | Ping, Q. 33 | Vale, J. 155 |
| Beydoun, D. 179, 213 | Jianhua, Y. 235 | Piotrowski, J. 95 | Valenzuela, R.X. 37 |
| Bizzi, M. 123 | Jianping, W. 33 | Piotrowski, K. 95 | Vilches, L.F. 155 |
| Bouillard, J. 1 | Jin, B. 221 | Pniak, B. 113 | Vislovskiy, V.P. 37 |
| Boyadzhiev, L. 137 | Jun, M. 15 | Poukka, O. 187 | |
| Bychkov, V.Yu. 37 | | Praserthdam, P. 57 | Walendziewski, J. 113 |
| | | | Watson, S.S. 213 |
| Céspedes, M. 47 | Kefa, C. 235 | Rodrigues, A.E. 83 | Weatherley, L.R. 171 |
| Changlin, W. 33 | Kirilova, N. 137 | Ruiz, P. 37 | Wentie, L. 1 |
| Cortés Corberán, V. 37 | Kumaresan, T. 199 | | Wilén, B.-M. 221 |
| | | | |
| Daniell, W. 47 | Lai, C.L. 205 | Saboni, A. 137 | Xiaodong, L. 235 |
| De, S. 143 | Lant, P. 221 | Saracco, G. 123 | Xiu, G. 83 |
| Duca, D. 251 | Li, P. 83 | Sardarly, A.M. 37 | Xiyao, Y. 15 |
| | Lin, S.H. 205 | Scott, J.A. 213 | |
| Fernández-Pereira, C. 155 | Llop, M.F. 25 | Seo, Y.-S. 101 | Yip, C.K. 179 |
| | Lukinskas, P. 47 | Shamilov, N.T. 37 | Yuchun, C. 235 |
| Ghoreishi, S.M. 163 | | Sinev, M.Yu. 37 | |
| Gidaspow, D. 1 | Malinowska, B. 113 | Sivashanmugam, P. 199 | Zhaoliang, Z. 15 |
| | | Song, K.-S. 101 | |

Subject Index of Volume 95

- Activated sludge flocs**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Active component composition**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Activity coefficient**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Adsorption**
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
A generalized shrinking core model applied to batch adsorption, 143
- Adsorption kinetics**
Adsorption of carminic acid, a dye onto glass powder, 241
- Adsorption-enhanced reaction (AER) process**
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Agitator speed**
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Airlift loop reactor**
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Alumina**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Anatase**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Biodegradation**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Bleaching**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Boundary layer**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Carminic acid**
Adsorption of carminic acid, a dye onto glass powder, 241
- Catalyst characterisation**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Catalyst preparation methods**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Catalytic combustion**
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Catalytic fin**
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Catalytic heat exchanger**
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Catalytic reduction**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Catalytic stability, activity and selectivity**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Charged drops**
Trajectories of charged drops in a liquid–liquid system, 171
- Chemical reduction**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- 2-Chloro-5-methyl-pyridine**
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- CO**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Coal fly ash**
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Color removal**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Compressibility**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Continuous operation**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Copper and COD removal**
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Coprecipitation**
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Dense polymeric catalytic membrane**
Simulation study of a dense polymeric catalytic membrane reactor with plug–flow pattern, 67
- Direct chlorination**
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Distillery effluent**
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Dye**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

- Effectiveness factor
 - Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Electrocoagulation
 - Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Emulsion liquid membrane
 - Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- EPS
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Equilibrium reaction
 - Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Extraction
 - Trajectories of charged drops in a liquid-liquid system, 171
- Extractor
 - Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Filament index
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Filtrates
 - Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Finite element model
 - Trajectories of charged drops in a liquid-liquid system, 171
- Fireproof products
 - Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Flashback
 - Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Floc size
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Flocculating ability
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Fractal dimension
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Freundlich isotherm
 - Adsorption of carminic acid, a dye onto glass powder, 241
- Gas-phase reaction
 - Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Gas-solids two-phase flow
 - Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Glass powder
 - Adsorption of carminic acid, a dye onto glass powder, 241
- Hydrodynamics
 - Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Hydroisomerisation activity
 - Selectivity of platinum-zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Hydrophobicity
 - A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Insulating plates
 - Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Internal diffusivity
 - A generalized shrinking core model applied to batch adsorption, 143
- Inversion process
 - Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Isobutane
 - Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Isobutene
 - Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Kinetic equation
 - Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Kinetic theory of granular flow
 - Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Kinetics
 - Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Langmuir isotherm
 - Adsorption of carminic acid, a dye onto glass powder, 241
- Liquid membranes
 - Petrtraction continue de tylosine dans un contacteur a films tournants, 137
- Liquid-liquid system
 - Trajectories of charged drops in a liquid-liquid system, 171
- Low pressure fluidization
 - The influence of low pressure operation on fluidization quality, 25
- M/E ratio
 - Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Mass transfer coefficient
 - A generalized shrinking core model applied to batch adsorption, 143
- Mass-transfer
 - Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Mathematical modeling
 - Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Metal fiber burners
 - Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Methyl acetate synthesis
 - Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- 3-Methyl-pyridine
 - The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Modeling
 - Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
 - Petrtraction continue de tylosine dans un contacteur a films tournants, 137
- Nano-Ag
 - Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Natural gas
 - Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Nitric acid(V)
 - Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95

- NO**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Numerical simulation**
Hydrodynamic simulation of gas–solid flow in a riser using kinetic theory of granular flow, 1
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Optimisation**
Improvement of catalytic functions of binary V–Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Oxidative dehydrogenation**
Improvement of catalytic functions of binary V–Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Pertraction**
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Pervaporation membrane reactor**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Photocatalysis**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Platinum**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Plug-flow pattern reactor**
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Polymeric constituents**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Pore diffusion**
A generalized shrinking core model applied to batch adsorption, 143
- Porous media**
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Premixed combustion modeling**
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Preparation**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Pressure fluctuation analysis**
The influence of low pressure operation on fluidization quality, 25
- Processes**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Pulp and paper**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Raman spectroscopy**
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Reaction engineering**
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Recycling**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Reduction**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Rutile**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Selectivity**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Selenate**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Semiconductor CMP wastewater**
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Separation**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Settleability**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Shrinking core model**
A generalized shrinking core model applied to batch adsorption, 143
- Simulation**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Slugging fluidization**
The influence of low pressure operation on fluidization quality, 25
- SO₂**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Sodium nitrate(III)**
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Solid solution**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Soot**
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Surface charge**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Surface reaction**
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- SVI**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Textile effluent**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Tin dioxide**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- TiO₂**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213

- Titania**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Titanium dioxide**
Effects of nano-Ag particles loading on TiO_2 photocatalytic reduction of selenate ions, 179
- Titanium waste**
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Tungsten**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Turbidity reduction**
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Turbulence intensity**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Two-phase flow**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Tylosin**
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Vanadium-antimony oxide bulk and supported catalysts**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Viscosity**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Washing**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Waste recycling**
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Wood fibres**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Zirconia**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- ZSV**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221

U